

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S77	8714	709/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S78	5907	709/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S79	95	Web adj service\$1 adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/17 14:38
S82	10138	(gateway or router) and (client or user) and ((web near5 service) or website) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/17 14:38
S83	3485	S82 and profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/17 14:38
S84	2376	S83 and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/17 14:38
S85	142	S84 and document and 709/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/17 14:38
S86	0	S84 and document and WSDL and (@ad<="20040325" @riad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/17 14:38

S87	3225553	(profile\$1 document\$1 WSDL) (@ad<="20040325" @rlad<="20040325") and (client or user) and (enable\$3 or enter\$3 or access\$3) and (web adj service\$1) and request\$3 and (gateway or router or hub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S88	2681	(profile\$1 document\$1 WSDL) and (@ad<="20040325" @rlad<="20040325") and (client or user) and (enable\$3 or enter\$3 or access\$3) and (web adj service\$1) and request\$3 and (gateway or router or hub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S89	0	profile\$1 and document\$1 and (@ad<="20040325" @rlad<="20040325") and (client or user) and (enable\$3 or enter\$3 or access\$3) and (web adj service\$1) and request\$3 and (gateway or router or hub) and http and wsdl and (e-business)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/17 14:38
S90	76	((web adj service) near5 gateway) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S91	6612	(gateway or (web adj service)) and (profile or id) and ((web adj client) or user) and (@ad<="20040325" @rlad<="20040325") and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S92	69	(gateway or (web adj service)) and (profile or id) and ((web adj client) or user) and (@ad<="20040325" @rlad<="20040325") and (auto adj generation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S93	2	gateway near5 enable\$3 near5 client near5 (web adj service) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S94	80	(gateway near5 enable\$3 near5 client) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38

S95	59	(gateway near5 enable\$3 near5 client) and (@ad<="20040325" @rlad<="20040325") and (profile or (id or identification)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S96	624	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S97	275	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and (gateway or router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S98	22	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and (gateway or router) and (web adj client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S99	31	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and (gateway or server) and (web adj client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S100	31	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and (gateway or server) and (web adj client) and (enabl\$3 or access\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S101	31	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and (gateway or server) and (web adj client) and (enabl\$3 or access\$3) and (creat\$3 or receiv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S102	60	profile and gateway and client and (web adj service) and document and WSDL and UDDI and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S103	169	(receiv\$3 near5 (profile or (ID or identification))) and gateway and (web adj service) and document and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38

S104	180	(web adj service) and gateway and (web adj client) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S105	428	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and conver\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S106	224	(UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and conver\$4) and (match or equal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S107	38	(UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and conver\$4) and (match or equal same (web adj service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S108	148	(trigger or activate or produce) and WSDL and UDDI and (third adj party) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S109	209	(trigger same request\$3) and (web adj service\$1) and (third adj party) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S110	182	(creat\$3 near\$3 document near\$3 profile) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:38
S111	21	(gateway near\$5 enable\$3 near\$5 client) and (@ad<="20040325" @rlad<="20040325") and (profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S112	100	(gateway) and (@ad<="20040325" @rlad<="20040325") and (profile) and WSDL and XML and UDDI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38

S113	481	((@ad<="20040325" @rlad<="20040325") and (web adj service\$1) same enabl \$3 same client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S114	184	((b2b or business-to-business) same conver\$4) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S115	3	((b2b or business-to-business) with conver\$4) and wsdl and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S116	41	((b2b or business-to-business) and conver\$4 and profile\$1) and (wsdl same (web adj service \$1) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S117	55	((b2b or business-to-business) and profile) and protocol\$1 and wsdl and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S118	166	(profile same creat\$3 same (document or WSDL) and (communication near4 protocol \$1) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S119	343	((profile or (communication near4 protocol\$1)) with creat\$3 with (document or WSDL) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S120	13	((communication near4 protocol \$1) with creat\$3 with (document or WSDL) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S121	19	((access\$3 near2 web near2 service) same (web adj client)) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38

S122	12	(creat\$3 same document same based same(communication adj protocols)) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S123	2	(e-business) and (b2b with profile) and (b2b with service) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S124	42	(e-business) and (profile same (web with service)) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S125	11	((BRIAN) near2 (HULSE)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/17 14:38
S126	8	((BRIAN) near2 (HULSE)).INV.	EPO; JPO; DERWENT	OR	OFF	2008/04/17 14:38
S127	1	((PHILIP) near2 (ROWLEY)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/17 14:38
S128	2	((PHILIP) near2 (ROWLEY)).INV.	EPO; JPO; DERWENT	OR	OFF	2008/04/17 14:38
S129	58	((CHRISTOPHER) near2 (SHARP)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/17 14:38
S130	33	((CHRISTOPHER) near2 (SHARP)).INV.	EPO; JPO; DERWENT	OR	OFF	2008/04/17 14:38
S131	2	b2b adj profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S132	272	(access\$3 same (web adj service) same (gateway or router))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S133	15	(access\$3 same (web adj service) same (gateway or router)) and (business adj services)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S134	13	(access\$3 same (web adj service) same gateway) and (business adj services)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38

S135	176	(web adj service) near5 gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S136	1208	UDDI and WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S137	898	profile and gateway and client and (web adj service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S138	718	profile and gateway and client and (web adj service) and document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S139	220	profile and gateway and client and (web adj service) and document and WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S140	123	profile and gateway and client and (web adj service) and document and WSDL and UDDI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S141	494	((INTERNATIONAL BUSINESS MACHINES).as. and (web adj client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/17 14:38
S142	181	((INTERNATIONAL BUSINESS MACHINES).as. and (web adj client) and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/17 14:38
S143	24	((INTERNATIONAL BUSINESS MACHINES).as. and (web adj client) and gateway and profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/17 14:38

S144	1208	UDDI and WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S145	437	access adj web adj service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S146	55	(trigger or activate or produce) and WSDL and UDDI and (match same request\$3) and convert	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S147	293	(trigger or activate or produce) and WSDL and UDDI and (third adj party)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S148	5763	(b2b or business-to-business)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S149	232	((b2b or business-to-business) same conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S150	0	profile\$1 and document\$1 and (@ad<="20040325" @rlad<="20040325") and (client or user) and (enabl\$3 or enter\$3 or access\$3) and (web adj service\$1) and request\$3 and (gateway or router or hub) and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/17 14:38
S151	2	EP-1675022\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38
S152	3	"7013290".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:38



S153	5907	709/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 17:27
S154	5069	S153 and (@ad<="20040325" @riad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 17:27

4/17/2008 6:51:39 PM

C:\Documents and Settings\bnissan\My Documents\EAST\Workspaces\10552393.wsp